

Surname	
Other Names	
Occation Normalism	
Centre Number	
Candidate Number	
Candidate Signature	
•	

I declare this is my own work.

A-level BIOLOGY

Paper 1

7402/1

Time allowed: 2 hours

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



BLANK PAGE



For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions.
- You must answer the questions in the spaces provided. Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

INFORMATION

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 91.

DO NOT TURN OVER UNTIL TOLD TO DO SO



Answer ALL questions in the spaces provided.

0 1 . 1				
Describe the induced-fit model of enzyme action AND how an enzyme acts as a catalyst. [3 marks]				



01.2
Scientists investigated the action of the enzyme ATP synthase. They made reaction mixtures each containing:
 ATP synthase buffer (to control pH) substrates.
One of the substrates required in these reaction mixtures is inorganic phosphate (Pi).
Tick (✓) ONE box to show which other substrate the scientists must add to the reaction mixtures to produce ATP. [1 mark]
Adenine
Adenosine diphosphate
Glucose
Ribose
[Turn over]

0 5

0 1.3


The scientists investigated the effect of concentration of inorganic phosphate (Pi) on ATP synthase activity.

After 2 minutes, they stopped each reaction and then measured the concentration of ATP.

FIGURE 1 shows the scientists' results.

FIGURE 1

Concentration of ATP produced / arbitrary units



Concentration of inorganic phosphate (Pi) / mmol dm⁻³



Suggest and explain a procedure the scientists could have used to stop each reaction. [2 marks]			



0 1 . 4				
Explain the change in ATP concentration with increasing inorganic phosphate concentration. [2 marks]				
				8




0 2 . 1	
Explain the advantage for larger animals of having a specialised system that facilitates oxygen uptake. [2 marks]	




FIGURE 2 shows two models of oxygen uptake found in animals.

FIGURE 2



Oxygen uptake through system developed to the outside of the body, eg fish gills

В



Oxygen uptake through system developed to the inside of the body, eg human lungs



02.2
Suggest how the environmental conditions have resulted in adaptations of systems using MODEL A rather than MODEL B. [2 marks]


02.3
FIGURE 3, on the opposite page, shows changes in concentration of oxygen in two gas exchange systems.
A student studied FIGURE 3 and concluded that the fish gas exchange system is more efficient than the human gas exchange system.
Use FIGURE 3 to justify this conclusion. [2 marks]



FIGURE 3


Human Gas Exchange System

Concentration of oxygen




Fish Gas Exchange System

Concentration of oxygen



KEY

- I Air/water entering the gas exchange system
- E Air/water leaving the gas exchange system
- A Arterial blood entering the gas exchange system
- V Venous blood leaving the gas exchange system



BLANK PAGE



02.4
Explain how the counter-current principle allows efficient oxygen uptake in the fish gas exchange
system. [2 marks]

_			



0 2 . 5

TABLE 1 shows features of two mammals.

Bats are flying mammals; shrews are ground-living mammals.

TABLE 1

Mammal	Mean body mass / kg	Mean lung volume / cm ³
Bat	0.096	12.48
Shrew	0.024	0.72

Calculate how many times the lung volume per unit of body mass of the bat is greater than that of the shrew.

Give your answer to an appropriate number of significant figures.

Give ONE suggestion to explain this difference. [3 marks]



Explanation	
[Turn over]	



0 3 .[1]
Describe how ONE amino acid is added to a polypeptide that is being formed at a ribosome during translation. [3 marks]



TABLE 2, on page 20, shows:

- mRNA codons and the amino acid coded for by each codon
- the type of bond formed by the R group of some of the amino acids.



TABLE 2

First	Second base				Third
base	U	С	Α	G	base
	Phe		Tyr	Cvo	U
	FILE	Ser	Cys	С	
U	Lou	Ser	Stop Stop		Α
	Leu		Stop	Trp	G
С			⊔io.		U
	Leu	Dro	ПІЗ	His	
		Pro	Gln	Α	
					G
A	lle	Asn Se	Aen	Sor	U
			Sei	С	
		Thr	Lys	A was	Α
	Met			Arg	G
G	Val		A = 15		U
) 	Asp		С
		Ala	Clu	Gly	Α
			Glu		G

KEY to the type of bond formed by the R group of each amino acid

- ☐ Hydrogen bonds
- Ionic bonds
- Disulfide bridges



n	3	2
U	J	_

Crystallin is a structural protein found in the human eye. An inherited disease that leads to blindness is caused by changes in properties of crystallin. The replacement of the amino acid Arg with the amino acid Gly causes these changes.

Use information in TABLE 2 to suggest why this amino acid replacement changes the properties of crystallin. [2 marks]



The amino acid replacement of Arg with Gly is caused by a single base substitution mutation in the DNA. The non-mutant DNA triplet is TCC.

Complete TABLE 3.

Give:

- the mRNA codon complementary to the non-mutant DNA triplet
- the mutated mRNA codon that could cause the change from Arg to Gly in the crystallin protein
- the DNA triplet complementary to this mutated mRNA codon.

[2 marks]

TABLE 3

mRNA codon for the non-mutant triplet	
Mutated mRNA codon	
Mutated DNA triplet	





BLANK PAGE



0 4

A student dissected an organ from a mammal to observe blood vessels.

He dissected a slice of the organ and identified two blood vessels.

FIGURE 4 shows a photograph of his dissection.

FIGURE 4







FIGURE 5 shows a drawing of the blood vessels from his dissection.

FIGURE 5






. •

Suggest TWO ways the student could improve the quality of his scientific drawing of the blood vessels in this dissection. [2 marks]

1						
2						

REPEAT OF FIGURE 4





04.2
Identify the type of blood vessel labelled as X and the type of blood vessel labelled as Y in FIGURE 4.
Describe ONE feature that allowed you to identify the blood vessels. [2 marks]
Blood vessel X
Blood vessel Y
Feature



04.3	
Describe TWO precautions the student should take when clearing away after the dissection. [2 marks]	
1	
2	
	_



BLANK PAGE



0 5 . 1
Describe how a sample of chloroplasts could be isolated from leaves. [4 marks]





0 5 . 2

Scientists grew two groups of plants:

- control plants with all the inorganic ions needed
- iron-deficient plants with all the inorganic ions needed BUT without iron ions.

After 1 week, the scientists measured the mass of protein and the mass of chlorophyll in the chloroplasts isolated from samples of leaves of these two groups of plants.

TABLE 4 shows the scientists' results.

TABLE 4

Mass of protein / percentage of control	Mass of chlorophyll / percentage of control
40	10

Some proteins found inside the chloroplast are synthesised inside the chloroplast.



Give ONE feature of the chloroplast that allows protein to be synthesised inside the chloroplast AND describe ONE difference between this feature in the chloroplast and similar features in the rest of the cell. [2 marks]

Feature	
Structural differen	ence
0 5 . 3	
The ratio of prot 9:1	ein to chlorophyll in control plants is

Use the information in TABLE 4 to calculate the ratio of protein to chlorophyll in iron-deficient plants. [1 mark]

Ratio _____




05.4
The scientists also observed the chloroplasts from the samples of leaves using an electron microscope.
FIGURE 6, on the opposite page, shows a chloroplast from a control plant (image A) and a chloroplast from an iron-deficient plant (image B).
Use FIGURE 6 to suggest why iron-deficient plants have a reduced growth rate. [3 marks]




FIGURE 6

A



В



KEY

☆ Thylakoid membranes inside the chloroplast

[Turn over]

10




06.1

FIGURE 7 shows the mean distance between centromeres and the poles (ends) of the spindle during mitosis.

FIGURE 7

Mean distance between centriole and pole / µm





Calculate the rate of movement of the centromeres during phase E.

Give your answer in μm minute⁻¹ AND to 3 decimal places. [2 marks]

µm minute ^{−1}
P



06.2
Name the three phases of mitosis shown by C, D and E on FIGURE 7, on page 36.
Describe the role of the spindle fibres and the behaviour of the chromosomes during each of these phases. [5 marks]
c
D
E



[Turn over]	




07.1

ADCs are molecules made of a monoclonal antibody linked to a cancer drug.

FIGURE 8 shows how an ADC enters and kills a tumour cell.

The process of entering the cell and the breakdown of the antibody to release the drug is very similar to phagocytosis.

FIGURE 8





Use your kno an ADC ente	owledge rs and k	of phag ills the t	jocytosi tumour	s to des cell. [3 r	cribe how narks]



0 7 . 2
Some of the antigens found on the surface of tumour cells are also found on the surface of healthy human cells.
Use this information to explain why treatment with an ADC often causes side effects. [2 marks]



Scientists investigated whether one type of ADC could be used to treat human breast cancer.

This ADC is a monoclonal antibody combined with a drug to inhibit mitosis. The monoclonal antibody binds to a protein found on human breast cancer cells.

The scientists placed small pieces of human breast cancer tissue under the skin of mice.

The scientists then randomly divided the mice into three groups. They treated the groups as follows on day 0.

Group G - control

Group H – injected with monoclonal antibody only

Group J – injected with ADC (monoclonal antibody + drug).


Every few days, the scientists measured the volume of the tumours formed from the human breast cancer tissue.

FIGURE 9, on page 44, shows the scientists' results.



FIGURE 9





KEY ——— Group G ——— Group H ——— Group J



0	7		3
_	_	- 1	_

Mice in Group H were injected with 2 mg kg⁻¹ of monoclonal antibody.

The monoclonal antibody was in a solution of concentration 500 mg dm⁻³

Calculate the volume of antibody solution that the scientists would have injected into a 23 g mouse. Give your answer in dm³ and in standard form. [2 marks]

dm ³		
ams		



07.4
Suggest ONE reason why there are no data for Group G and Group H after day 8. [1 mark]
07.5
Suggest and explain TWO further investigations that should be done before this ADC is tested on human breast cancer patients. [2 marks]
1
_
2



08.1
Describe how a triglyceride molecule is formed. [3 marks]



08.2

TABLE 5 shows some properties of four fatty acids.

TABLE 5

Fatty acid	Number of carbon atoms in the R group	Number of double bonds in the R group
Caprylic acid	8	0
Palmitoleic acid	16	1
Stearic acid	18	0
Linoleic acid	18	2

FIGURE 10 shows diagrams of these fatty acids.

FIGURE 10



ation about one of these fatty acids. [1 mark]
Caprylic acid is an unsaturated fatty acid represented by diagram L.
Linoleic acid is a saturated fatty acid represented by diagram N.
Palmitoleic acid is an unsaturated fatty acid represented by diagram K.
Stearic acid is a saturated fatty acid represented by diagram M.



The percentage of saturated fatty acids compared with unsaturated fatty acids found in lipid stores in seeds differs in different populations.

Scientists investigated two populations of the plant, 'Helianthus annuus'.

population. They placed the seeds on wet tissue paper so that the root growth The scientists grew young plants from seeds collected from each was visible.

They grew seeds from each population at two temperatures:

- warm temperature of 24 °C
- cool temperature of 10 °C

After 10 days, the scientists measured the length of each root.

TABLE 6, on page 52, shows some of the properties of the two populations and the scientists' results.



BLANK PAGE



TABLE 6

Population	Temperature in natural environment	In the seed – Mean percentage of fatty acids that are saturated	Mean length of root after 10 days at 24 °C / mm (± 2 x standard deviation)	Mean length of root after 10 days at 10 °C / mm (± 2 x standard deviation)
1	Warm	10.9	8.2 (±1.0)	3.1 (±0.3)
2	Cool	6.1	5.5 (±0.9)	4.3 (±0.2)

The mean ±2 × standard deviation includes 95% of the data.



	ed a data logger to measure the length of the root rather than a	
	s used a data	
0 8	The scientists	ruler.

Suggest ONE reason why they used a data logger AND explain why this was important in this investigation. [1 mark]



0	8	4
_	_	

It is known that:

- during respiration saturated fatty acids yield more energy than unsaturated fatty acids
- saturated fatty acids have higher melting points than unsaturated fatty acids
- lipases in seeds act more rapidly on liquid substrates.

Use this information and TABLE 6, on page 52, to show how each population is better adapted for its natural environment when compared with the other population. [4 marks]	
	_



08.5	
Although these two populations are co separate and show genetic variation, the called 'Helianthus annuus'.	mpletely ley are both
Explain why they are both given this na	me. [1 mark]
[Turn over]	
	10

5 5

0 9 . 1

Complete TABLE 7 with ticks (\checkmark) to show which elements are found in the following biological molecules. [2 marks]

TABLE 7

Biological	Element			
molecules	Carbon	Nitrogen	Oxygen	Phosphorus
Galactose				
Phospholipid				
RNA				
Sucrose				



After Watson and Crick proposed the model of DNA structure, scientists investigated the possible mechanisms for DNA replication.

Two scientists grew a bacterial population, providing them with a nitrogen source containing only the heavy isotope of nitrogen, ¹⁵ N. As soon as all the DNA in this population contained ¹⁵ N, the scientists changed the nitrogen source to one containing only the lighter isotope of nitrogen, ¹⁴ N. They changed the nitrogen source at 0 hours.


During the investigation, the scientists measured the size of the population of bacterial cells.

FIGURE 11, on page 58, shows the scientists' results.



FIGURE 11

Size of the population / number of bacterial cells per cm³





0 9 . 2

The generation time for a population of bacteria is the time taken for all the bacteria to divide once by binary fission.

Use FIGURE 11, on the opposite page, and the following equation to calculate the generation time for this population of bacteria. Give your answer in hours. [2 marks]

Number of generations =

$$\frac{\log_{10}\left(\frac{\text{size of population at time } + 4 \text{ hours}}{\text{size of population at time } - 4 \text{ hours}}\right)}{\log_{10}2}$$

Generation time	hours
[Turn over]	




At intervals during this investigation, the scientists removed samples of the bacterial population, isolated the DNA and measured the density of the DNA.

DNA made using $^{15}\,\mathrm{N}$ has a higher density than DNA made using $^{14}\,\mathrm{N}.$

FIGURE 12, on the opposite page, shows the scientists' results.



FIGURE 12








There are THREE possible models of DNA replication.

These models are shown in FIGURE 13.

FIGURE 13









[Turn over]	
Explanation for second UNSUPPORTED model	
Explanation for first UNSUPPORTED model	
Name	
Model	
Give the letter and name of the model supported and explain why the results do NOT support the other models. [3 marks]	
Which of these models, P, Q or R, is supported by the results shown in FIGURE 12? FIGURE 12 is on page 61.	
0 9 . 3	



10.1	
Describe the structure of DNA	A. [5 marks]





1	0		2
)	•	1


Name AND describe FIVE ways substances ca across the cell-surface membrane into a cell.	





FIGURE 14 shows transmission electron micrographs of two cells, one animal cell and one prokaryotic cell.

FIGURE 14 CELL A



CELL B

Magnification ×30000



Contrast the structure of the two cells visible in the electron micrographs shown in FIGURE 14. [5 marks]								
-----------------------------------------------------------------------------------------------------------	--	--	--	--	--	--	--	--



				15
				END OF QUESTIONS



Additional page, if required.					
Write the question numbers in the left-hand margin.					



Additional page, if required. Write the question numbers in the left-hand margin.						



Additional page, if required. Write the question numbers in the left-hand margin.						



BLANK PAGE

For Examiner's Use					
Question	Mark				
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
TOTAL					

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.

IB/M/CD/Jun21/7402/1/E2



