

Please write clearly ir	า block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

# GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Physics Paper 1F

Wednesday 20 May 2020 Afternoon Time allowed: 1 hour 15 minutes

### **Materials**

For this paper you must have:

- a ruler
- · a scientific calculator
- the Physics Equations Sheet (enclosed).

### Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

### Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Exam	iner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
TOTAL	



0 1 A student investigated how the resistance of a wire varies with the length of the wire. Figure 1 shows the circuit used. Figure 1 Wire Crocodile clip Length of wire Metre rule being tested The symbols for the voltmeter and ammeter in **Figure 1** are **not** complete. Complete the symbols for the voltmeter and ammeter in **Figure 1**. [1 mark] Which variable is the independent variable? 1 [1 mark] Tick (✓) one box. The current in the wire The length of the wire being tested The resistance of the wire The thickness of the wire



0 1.3	Which variable is the dependent variable?  [1 mark]
	Tick (✓) one box.
	The current in the wire
	The length of the wire being tested
	The resistance of the wire
	The thickness of the wire
0 1.4	The student took repeat readings of potential difference for a 30 cm length of the wire.
	The readings were:
	0.16 V 0.17 V 0.15 V
	Calculate the mean potential difference.  [2 marks]
	Mean potential difference =V
	Question 1 continues on the next page



Do not write outside the box

	The length of the wire was increased to 60 cm	
	The current in the wire was 0.50 A	
	The mean potential difference across the wire was 0.32 V	
0 1.5	Calculate the resistance of the 60 cm length of wire.	
	Use the equation:	
	resistance = $\frac{\text{potential difference}}{\text{current}}$ [2 marks	]
		-
		-
		-
	Resistance =Ω	- !
0 1 . 6	Calculate the power dissipated in the 60 cm length of wire.	
	Use the equation:	
	power = potential difference × current  [2 marks	1
	·	
		-
	Power =W	,



O 1. 7 Calculate the charge flow when there is a current of 0.50 A in the wire for 17 s


Use the equation:

[2 marks]

Charge flow = C

0 1 . 8 Figure 2 is a sketch graph of the results.

Figure 2



The student repeated the investigation using a thicker wire made from the same metal. For the same length, the thicker wire has a lower resistance.

Draw a line on **Figure 2** to show how the resistance of the thicker wire varies with length.

[1 mark]

nark] | 12

Turn over for the next question



0 2

Between 1951 and 1992 the USA tested nuclear weapons in a desert.

0 2 . 1

Complete the sentence.

Choose the answer from the box.


[1 mark]

Radioactive dust from the nuclear weapons testing settled on the desert. This is called radioactive

The desert now contains radioactive tritium.

**Figure 3** shows how the activity of the tritium in a sample taken from the desert changed with time.

Figure 3





0 2.2	The sample was collected from the desert in 1992.	
	Determine the activity of the tritium in the sample in 2007.  [2 mark]	s]
	Activity = E	3q
0 2 . 3	How much time did it take for the activity of the tritium in the sample to decrease from 80 Bq to 40 Bq?	rk1
	Time = year	 `S
0 2 . 4	What is the half-life of tritium?	rk]
	Half-life = yea	rs
0 2 . 5	The sample started with 45 billion atoms of tritium.	
	After 4 years the sample had 36 billion atoms of tritium.	
	Calculate the percentage of the tritium in the sample that remained after 4 years.  [2 mark]	s]
	Percentage of tritium remaining =	%



0 2.6	A scientist determined the a	ctivity of a sampl	e of tritium every	minute for 3 minutes.
	Table 1 shows the results.			
		Table	1	
	Tii	me in minutes	Activity in Bq	
	0		149	
	1		151	
	2		148	
	3		152	
	Why do the activity readings	s in <b>Table 1</b> vary?	<b>)</b>	[1 mark]
	Tick (✓) <b>one</b> box.			
	Radioactive decay is a rando	om process.		
	Temperature changes affect	t the radioactive o	decay.	
	The number of radioactive n	nuclei keeps incre	easing and decrea	asing.
0 2.7	What safety precaution shou in a laboratory?	uld scientists take	e when working w	ith radioactive materials [1 mark]
	Tick (✓) one box.			
	Tie long hair back before ha	indling the materi	als.	
	Use long tongs to handle the	e materials.		
	Wear safety goggles when h	nandling the mate	erials.	



0 2.8	Studies show that children born near the area of the desert containing tritium were more likely to develop cancer.	Do not write outside the box
	It is important that the results from these studies are checked by other scientists.	
	What is this process called?	
	Tick (✓) one box. [1 mark]	
	Experiment review	
	Peer review	
	Results review	
	Test review	10

Turn over for the next question




0 3

An eco-house is designed to be environmentally friendly.

Figure 4 shows a picture of an eco-house.

Figure 4



0 3.1	The solar panels and a wind turbine are used to generate electricity for the eco-house.	
	Solar and wind are both renewable energy resources.	
	What does renewable energy resource mean?	[1 mark]
	Tick (✓) one box.	[ i mark]
	It can be replenished as it is used.	
	It is unreliable.	
	It has no fuel costs.	
	It produces no greenhouse gases.	



		1	1		
0 3.2		ear and natural gas a			
	or non-renewa		r cacif chargy for	odioc is reflewable	
	Tick (✓) one b	ox for <b>each</b> energy re	esource.		[2 marks]
		Energy resource	Renewable	Non-renewable	9
		Biomass			
		Nuclear			
		Natural gas			
0 3.3	Moving air ma	kes the wind turbine	spin.		
	The wind turbi	ne generates electric	ity which is used	to charge a battery.	
	Complete the	sentences.			
	•	ers from the box.			
					[2 marks]
	chemica	al electric	al grav	itational	kinetic
	When the wind	I turbine spins faster	there is an increa	se in its	
	energy.				
	Charging the b	pattery increases the	<u>-</u>	store of end	ergy of the
	battery.				
		Question 3 continu	ues on the next	page	



0 3.4	The roof of the eco-house is covered with soil.
	Covering the roof with soil decreases the thermal conductivity of the roof.
	What are the advantages of having a roof with a lower thermal conductivity?
	Tick (✓) <b>two</b> boxes.
	Less energy is needed to heat the house.
	The rate of energy transfer by conduction is greater.
	The roof is a better insulator.
	The roof is less likely to leak.
	Weather will have a greater effect on the temperature of the house.
0 3.5	The average power transferred to the solar panels by sunlight is 26 000 W
	Calculate the average energy transferred to the solar panels in 30 seconds.
	Use the equation:
	energy transferred = power × time [2 marks]
	Average energy transferred to solar panels = J



and us	down the equation that links efficiency, total power input seful power output.	[1 mark]
1 3 . 7 The se		
<del></del>	olar panels on the roof of the eco-house have an efficiency of 0.15	
The a	verage power input to the solar panels is 26 000 W	
Calcul	late the average useful power output from the solar panels.	[3 marks]
	Average useful power output =	W
	in why it is a good idea for the eco-house to have both a wind turbine	e and
solar	panels.	[2 marks]

15



0 4	A scientist had a balloon which was	filled with air.	
0 4 . 1	Which statement describes how air p	particles move?	[4 mark]
	Tick (✓) one box.		[1 mark]
	At random speeds in random direction	ons	
	At random speeds in the same direct	tion	
	At the same speed in random directi	ons	
	At the same speed in the same direct	ction	
	The temperature of the air was 19 °C	>	
	The scientist dipped the balloon into	liquid nitrogen.	
	The temperature of the liquid nitroge	n was −196 °C	
0 4 . 2	Which thermometer could be used to	o measure the ter	
	Tick (✓) one box.		[1 mark]
	Max 30 Min 10  19.0  Max 30 Min 10	00°C	### Page   -200°C to   +200°C



0 4.3	The scientist wore special insulating gloves when putting the balloon into the liquid nitrogen.
	Suggest why.  [1 mark]
	[Timank]
0 4.4	When the balloon was put into liquid nitrogen the temperature of the air in the balloon decreased.
	Complete the sentences.
	Choose answers from the box.
	Each answer may be used once, more than once or not at all.  [2 marks]
	decreased stayed the same increased
	As the air in the balloon cooled down, the speed of the particles
	This is because the kinetic energy of the
	particles
	Question 4 continues on the next page

0 4 . 5	The air in the balloon had a mass of 0.00320 kg	
	The temperature of the air in the balloon decreased by 215 °C	
	The change in thermal energy of the air in the balloon was 860 J	
	Calculate the specific heat capacity of the air in the balloon.	
	Use the Physics Equations Sheet.	[3 marks]
	Specific heat capacity =	J/kg°C
0 4.6	The liquid nitrogen boiled.	
	What happens to the temperature of nitrogen as it boils?	[1 mark]
	Tick (✓) <b>one</b> box.	[ I IIIaI K]
	Temperature decreases	
	Temperature increases	
	Temperature stays the same	




	The scientist recorded measurements to calculate the specific latent heat of vaporisation of nitrogen.	outsi b
0 4.7	What is meant by vaporisation?  [1 mark]  Tick (✓) one box.	
	A change of state from liquid to gas	
	A change of state from solid to gas	
	A change of state from solid to liquid	
0 4 . 8	The mass of nitrogen that vaporised was 0.0072 kg	
	1440 J of energy was transferred to the nitrogen as it vaporised.	
	Calculate the specific latent heat of vaporisation of nitrogen.	
	Use the Physics Equations Sheet.  [3 marks]	
	Specific latent heat of vaporisation = J/kg	1;
	Turn over for the next question	



05Figure 5 shows the inside of a plug.

Figure 5



0 5 . 1 The plug is **not** wired correctly.

What should be done to connect the wires in the plug correctly?

[1 mark]



	The correctly wired plug and cable connects a washing machine to the mains electricity supply.
0 5.2	Give the potential difference and frequency of the mains electricity supply in the UK.  [2 marks]
	The potential difference isV
	The frequency is Hz
0 5.3	The washing machine is switched on.
	What is the potential difference between the neutral wire and the earth wire?  [1 mark]
	Potential difference =V
0 5.4	The plug has a fuse.
	Draw the circuit symbol for a fuse in the space below.  [1 mark]
	Question 5 continues on the next page



Do not write outside the box

	The washing machine has a metal case.	C
	A fault causes the live wire to make an electrical connection with the metal case of the washing machine.	
0 5.5	The earth wire is <b>not</b> connected to the metal case of the washing machine.	
	Explain why it would not be safe for a person to touch the metal case.  [2 marks]	
0 5 . 6	The earth wire is now connected to the metal case of the washing machine.	
		1
	Explain why it would now be safe for a person to touch the metal case, even if the live wire touches the metal case.  [2 marks]	
	wire touches the metal case.	
	wire touches the metal case.	
	wire touches the metal case.	
	wire touches the metal case.	
	wire touches the metal case.	-
	wire touches the metal case.	
	wire touches the metal case.	<u></u>



- 0 6
- Different radioactive isotopes emit different types of nuclear radiation.

A polonium-210 (Po) nucleus emits an alpha particle ( $\alpha$ ) and turns into a lead (Pb) nucleus.

This can be represented by the equation:

$$^{210}_{84}Po \longrightarrow ^{A}_{Z}Pb + \alpha$$

What is the value of A in the equation?

[1 mark]

Tick (✓) one box.

What is the value of Z in the equation? 0 6 .

[1 mark]

Tick (✓) one box.

Question 6 continues on the next page

0 6.3	A strontium-89 nucleus (Sr) emits a beta particle yttrium nucleus (Y).	e (β) and turns into an	
	This can be represented by the equation:		
	$^{89}_{38}$ Sr $\longrightarrow$ $^{4}_{2}$	<u>'</u> Υ + β	
	What are the values of A and Z in the equation?		[2 marks]
		A =	
		Z =	
0 6.4	Gamma radiation is another type of nuclear radia	ation.	
	What does gamma radiation consist of?		[1 mark]
	Tick (✓) one box.		[
	High energy neutrons		
	Electromagnetic waves		
	Particles with no charge		
	Positively charged ions		




Do not write outside the box

0 6.5	Explain the differences between the properties of alpha, beta and gamma radiations.  [6 marks]

44

# **END OF QUESTIONS**







Question number	Additional page, if required. Write the question numbers in the left-hand margin.	



Question number	Additional page, if required. Write the question numbers in the left-hand margin.	



Question number	Additional page, if required. Write the question numbers in the left-hand margin.	



Do not write outside the There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

## Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



