Surname	Centre Number	Candidate Number
First name(s)		2



### **GCE AS**





B400U10-1

## FRIDAY, 20 MAY 2022 - AFTERNOON

# BIOLOGY – AS component 1 Basic Biochemistry and Cell Organisation

1 hour 30 minutes

For Examiner's use only			
Question	Maximum Mark	Mark Awarded	
1.	12		
2.	18		
3.	13		
4.	12		
5.	11		
6.	9		
Total	75		

#### **ADDITIONAL MATERIALS**

In addition to this paper you will require a calculator and a ruler.

#### **INSTRUCTIONS TO CANDIDATES**

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page. Answer **all** questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page(s) at the back of the booklet, taking care to number the question(s) correctly.

#### INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question. The assessment of quality of extended response (QER) will take place in question **6**.



#### Answer all questions.

**1.** Proteins are polymers of amino acids and are found in all living organisms. **Image 1.1** shows the general structural formula of an amino acid molecule.

#### Image 1.1

$$\begin{array}{c|c} & R \\ | \\ H_2N - C - COOH \\ | \\ H \end{array}$$

(a) Complete the table to name the groups shown in Image 1.1.

[2]


Group	Name
R	
NH <sub>2</sub>	
СООН	

(b)	Apart from the elements shown in Image 1.1, state one other element which is foun	d in
. ,	some amino acids.	[1]

.....

(c) Plants can synthesise the amino acid isoleucine from a different amino acid, threonine, in a five-step metabolic pathway controlled by five different enzymes as shown in **Image 1.2**.

#### Image 1.2



Isoleucine acts as an inhibitor to the enzyme threonine deaminase. Predict and explain what would happen to the concentration of threonine as the concentration of isoleucine increases.


03

© WJEC CBAC Ltd. (B400U10-1) Turn over.

(d) Threonine deaminase was extracted from a plant and isolated. The effect of isoleucine on the activity of the enzyme threonine deaminase was investigated. The rate of reaction was measured at increasing threonine concentrations both with and without isoleucine. The results of the investigation are shown in Graph 1.3.

Graph 1.3

Rate of reaction/a.u.



..... A: without isoleucine - B: with isoleucine

(i) Descri	be and explain the resu	ults shown in curve <b>A</b> .	[3]



(ii) Explain the sha	pe of curve <b>B</b> .	[4]



© WJEC CBAC Ltd. (B400U10-1) Turn over.

- 2. An investigation was carried out to determine the water potential of potato tissue using the following method.
  - 1. Cut four cylinders of potato tissue, each approximately 50 mm long.
  - 2. Place 30 cm<sup>3</sup> distilled water and three different concentrations of sodium chloride (NaCl) solution into four different boiling tubes.
  - 3. Record the mass of each cylinder to the nearest 0.1 g.
  - 4. Place one cylinder into each boiling tube.
  - 5. Leave at room temperature for 45 minutes.
  - 6. Gently blot and re-weigh the cylinders.

The results of the investigation are shown in **Table 2.1**.

Table 2.1

Concentration of NaCI/moldm <sup>-3</sup>	Initial mass of cylinder/g	Final mass of cylinder/g	Change in mass /g	Percentage change in mass
0.0	4.2	4.5	0.3	7.14
0.2	4.1	4.2	0.1	2.44
0.6	4.4	3.9	-0.5	-11.36
0.8	4.2	3.5	-0.7	

(a)	(i)	Calculate the percentage change in mass of the potato cylinder in the	
` '	( )	0.8 mol dm <sup>-3</sup> sodium chloride solution. Write your answer in the table.	
		Give your answer to two decimal places.	[2]


(ii)	Explain why it is necessary to calculate the percentage change in mass.	[1]

(iii) Use the results from Table 2.1 to plot a graph showing how the percentage change in mass is affected by the concentration of sodium chloride solution. [4]



Examiner only

B400U101 07





(v) State what additional information would be required in order to determine the water potential of the potato tissue.  (vi) With reference to the method given, suggest and explain how confidence in data collected could be improved.	(iv)	With reference to the results of this investigation, describe <b>and</b> explain the relationship between the concentration of NaCl and the percentage change is mass of the potato cylinders.
(vi) With reference to the method given, suggest and explain how confidence in	•••••	
(vi) With reference to the method given, suggest and explain how confidence in	•••••	
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in	•••••	
(vi) With reference to the method given, suggest and explain how confidence in	*******	
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in		
(vi) With reference to the method given, suggest and explain how confidence in data collected could be improved.	(v)	State what additional information would be required in order to determine the water potential of the potato tissue.
	(vi)	With reference to the method given, suggest and explain how confidence in
	(*1)	data collected could be improved.
		data collected could be improved.
		data collected could be improved.



101	
B400L	60

•••••				
Due to rising ses	a lavels it is expected that so	ome coastal regions	of the LIK will experienc	Δ.
	a levels, it is expected that so			
more nequent ne	poding by sea water. This wil	i increase the sait co		i tiie
flooded regions.	Increased salt concentration			
flooded regions. potatoes in these	Increased salt concentration a areas.	ns in the soil may hav	e an effect on the grow	th of
flooded regions. potatoes in these Some varieties of	Increased salt concentration e areas.  of potato may be more suitab	ns in the soil may have the so	ve an effect on the grow	th of
flooded regions. potatoes in these Some varieties o concentration du	Increased salt concentration a areas.  of potato may be more suitable to differences in the water	ls in the soil may have le than others for group potential of the pota	ve an effect on the grow owing in soil with a high to tubers.	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation	Increased salt concentration e areas.  of potato may be more suitab	le than others for gropotential of the water potential of	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation potato. <b>Table 2.2</b>	Increased salt concentration a areas.  of potato may be more suitable to differences in the water was carried out to determine	le than others for gropotential of the water potential of	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation potato. <b>Table 2.2</b>	Increased salt concentration a areas.  of potato may be more suitable to differences in the water was carried out to determine	le than others for gropotential of the water potential of	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation potato. <b>Table 2.2</b>	Increased salt concentration a areas.  of potato may be more suitable to differences in the water was carried out to determine	le than others for gropotential of the water potential of	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation potato. <b>Table 2.2</b>	Increased salt concentration e areas.  of potato may be more suitable to differences in the water was carried out to determine shows the water potential of	le than others for groupotential of the water potential of the potal of the three varieties.  Water potential	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation potato. <b>Table 2.2</b>	Increased salt concentration e areas.  of potato may be more suitable to differences in the water was carried out to determine shows the water potential of the variety of potato	le than others for groupotential of the water potential of the three varieties water potential of the three varieties water potential /kPa	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation potato. <b>Table 2.2</b>	Increased salt concentration e areas.  of potato may be more suitable to differences in the water was carried out to determine shows the water potential of a variety of potato  A	le than others for groupotential of the water potential of the three varieties  Water potential /kPa -550	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt
flooded regions. potatoes in these Some varieties of concentration du An investigation	Increased salt concentration e areas.  of potato may be more suitable to differences in the water was carried out to determine shows the water potential of A  B	le than others for groupotential of the potantial of the potantial of the three varieties  Water potential /kPa -550 -890	ve an effect on the grow owing in soil with a high to tubers.  of three different varieties	th of salt



© WJEC CBAC Ltd. (B400U10-1) Turn over.

18




# PLEASE DO NOT WRITE ON THIS PAGE



**3.** A number of organelles are involved in the production and secretion of enzymes by cells. **Image 3.1** shows how different organelles are involved in this process in a eukaryotic cell.

Image 3.1



as shown in <b>Image 3.1</b> .	[5]

Describe the sequence of events involved in the production and secretion of enzymes




(a)

[2]

Image 3.2 shows another organelle which is also involved in the process of enzyme secretion.

Image 3.2

(b)



0.5µm

Magnification = ×	Magnification = ×  (ii) Name the organelle shown in <b>Image 3.2</b> and suggest its function in enzyme secretion.			
	secretion. [3]	(ii)	Name the organelle shown in <b>Image 3.2</b> and suggest its function in enzyme	

(i) Using the scale bar provided, calculate the magnification of Image 3.2.




(iii) The organelle shown i	in Image 3.2 is in the process of self-replic	ation. This is a
similar process to that Suggest and explain h	now this organelle is able to self-replicate.	[;



 Sexual reproduction in animals involves cell division by mitosis and meiosis. Image 4.1 shows a cell undergoing meiosis.

# Image 4.1



(a)	(i)	Name the stage of meiosis shown in <b>Image 4.1</b> and give <b>two</b> reasons for your choice.  Stage:  Reasons:	[3]
	(ii)	With reference to <b>Image 4.1</b> , explain <b>two</b> ways by which the process of meiosis contributes to genetic variation in an organism.	s [2]
	(iii)	Name <b>one</b> structure in a flower where meiosis occurs.	[1]




(b)	Honey bees have a complex social structure where only the queen bee produces eggs. If fertilised, these develop into female worker bees. If not fertilised they develop into males called drones, which produce sperm.
	Image 4.2 shows two chromosomes in the nuclei of bee gametes.
	Image 4.2
	egg sperm
	(i) In the nuclei below, draw the chromosomes as they would appear in the <b>body cells</b> of female and male bees. [2]
	female body cell nucleus male body cell nucleus
	(ii) Explain why sperm cells in drones are produced by mitosis and not by meiosis. [2]

•••••		••••
(iii)	Explain why male drones would not be clones.	2]
•		••••

12

- **5.** The human papillomavirus (HPV) infects epithelial cells. The virus DNA molecule is 8 kb (kilobases) in length. The genome includes approximately 8 major genes.
  - Image 5.1 shows the genetic material of the human papillomavirus.

Image 5.1



(a) (i) State **three** differences between the DNA of the human papillomavirus and the nuclear DNA of the host cell. [3]

Human papillomavirus DNA	Host cell nuclear DNA




Examiner

	e the host cell, the virus capsid breaks down and the viral DNA enters the host co side the nucleus, the viral DNA is replicated, using the DNA apparatus of the hos	
(i)	Suggest how the viral DNA enters the nucleus.	[1]
(ii)	Using your knowledge of DNA replication, describe the process by which the vi DNA is replicated.	ral [4]
(iii)	Explain why the viral DNA cannot be replicated outside the nucleus of the host cell.	[1]
••••••		
(iv)	The viral genome contains eight genes and therefore codes for a minimum of eight polypeptides. State the name of the hypothesis represented by this statement.	[1]



**6.** Lysozyme is an enzyme which catalyses the breakdown of glycosidic bonds in polysaccharides in bacterial cell walls. It works using the induced fit model of enzyme action. **Image 6.1** shows a computer-generated model of lysozyme.

#### Image 6.1



Describe the three levels of protein structure present in the lysozyme molecule shown in Image 6.1.

Explain how the three levels of protein structure are maintained.

Describe and explain the induced fit model of enzyme action as shown by lysozyme. [9 QER]



Examine
only



Examiner
only



© WJEC CBAC Ltd.

	Examiner only
END OF PAPER	9



Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examiner only
		1



Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examine only
namber	write the question number(s) in the left-fland flargiff.	-
		]





