Surname	Centre Number	Candidate Number
First name(s)		0



GCSE - CONTINGENCY

3400UD0-1



WEDNESDAY, 22 JUNE 2022 – AFTERNOON

BIOLOGY – Unit 2:

Variation, Homeostasis and Micro-organisms

HIGHER TIER

1 hour 45 minutes

For Examiner's use only			
Question	Maximum Mark	Mark Awarded	
1.	10		
2.	10		
3.	4		
4.	6		
5.	4		
6.	5		
7.	9		
8.	11		
9.	7		
10.	14		
Total	80		

ADDITIONAL MATERIALS

In addition to this paper you may require a calculator and a ruler.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page(s) at the back of the booklet, taking care to number the questions correctly.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.


Question **10**(c)(iii) is a quality of extended response (QER) question where your writing skills will be assessed.



Answer all questions.


1. A group of students investigated the biodiversity of a moorland over a period of three years. Two years before the investigation started, the drainage ditches in the moorland had been closed in order to increase the water content of the land. **Image 1.1** is a map showing the moorland (shaded area) being investigated. The black squares represent locations of eight sample areas. Each sample area is 625 m² (25 m × 25 m).

Image 1.1



The results of the survey are shown in **Graph 1.2**.

Graph 1.2





© WJEC CBAC Ltd. (3400UD0-1)

(a)		cribe the method that the students would have used to investigate the abundance of species in the moorland. [4
(b)	(i)	Calculate the percentage change in narrow-leaved grass between 2014 and 2016
	(ii)	Percentage change =
(c)	(i)	Suggest why the students sampled several areas over the whole moorland.
	(ii)	Suggest how, over the three years, the students made sure the investigation was a fair test.



2. A peach is a fruit which has tiny hairs on its surface. A nectarine is a type of peach where the hairs are absent. The production of hair on the surface is controlled by a single gene. A dominant allele codes for the production of hair. A mutation to this gene produces a recessive allele which does not produce hair. Image 2.1 is a picture produced by an electron microscope showing the hair growing on the surface of a peach.

Image 2.1



Peach scab disease is caused by the fungus *Cladosporium carpophilum* and can affect both peaches and nectarines. Fungi reproduce by producing spores, which are spread by wind and rain. When the spore lands on the surface of a fruit, the fungus begins to grow and scabs soon develop. Nectarines are more likely than peaches to develop scab disease. **Image 2.2** is a picture of a nectarine showing scabs caused by *Cladosporium carpophilum*.





Image 2.3 shows a fungal spore developing and forming a scab.

Image 2.3





© WJEC CBAC Ltd.

(3400UD0-1)

spore and forms a

network in the fruit

causes the fruit to

form a scab

(a)	(i)	State why scientists use the name <i>Cladosporium carpophilum</i> rather than the common name peach scab when discussing this disease.	[1]
	(ii)	Using all the information given, suggest why nectarines are more likely than peaches to develop scab disease.	[2]
(b)	(i)	State what is meant by the term allele.	[1]
	(ii)	State what is meant by a mutation.	[1]
	(iii)	Give one example of an environmental factor which increases the rate of mutations.	[1]
		Continued overleaf	




							——,r
(c)	(i)	Use the lett trees that w trees.	ters H and h to show the result of vould result in the production of	of a gene seeds tha	etic cross betv at could grow	into nectarine	[3]
		Key:	H = allele for hairy fruith = allele for hairless fruit				
			Phenotype = peach tree	×	peach tree		
			Genotype =	×			
		Gametes	;				
	(ii)	Using your producing a	answer from the Punnett square nectarine tree from this cross.	e above,	state the prol	bability of	[1]
			Probabilit	ty =			



only

3. Methicillin is a type of antibiotic which has often been used to treat infections. Graph 3.1 shows the number of deaths in Wales and England from methicillin resistant Staphylococcus aureus (MRSA) between 1993 and 2012.

Graph 3.1



(a) Using the five-kingdom system of classification, name the kingdom to which Staphylococcus aureus belongs.

[1]

[1]

State what is meant by the term methicillin resistant Staphylococcus aureus. (ii)

Describe the trend in the numbers of deaths due to MRSA in Wales and England (b)

between 1993 and 2012. [1]

(ii) Suggest one explanation for the trend in the numbers of deaths due to MRSA in Wales and England between 2006 and 2012. [1]

Examiner only

Image 4.1 shows a section through the human skin. Image 4.1 State the name of structures **A** and **B** in **Image 4.1**. [1] Explain how structure ${\bf B}$ helps to maintain the normal body temperature in cold conditions. (b) [3]



(c)	Frostbite occurs when the skin and tissues are damaged by long-term exposure to freezing temperatures. The most common parts of the body that frostbite affects are the fingers, toes, nose, ears, cheeks and chin. Using Image 4.1 suggest how the response of the blood vessels labelled C to freezing temperatures can lead to frostbite developing in the fingers. [2]	Exa o



Turn over.

5.	Scientists conducted DNA profiling of the critically endangered smalltooth sawfish
	(Pristis pectinata).



The results of the DNA profiling showed that a number of female sawfish had been able to reproduce without mating. All of the offspring from these fish were female.

(a)	Describe the process of DNA profiling.	[2]
(b)	State the name of the type of reproduction carried out by the female sawfish describe above and explain why all of their offspring were female.	ed [2]



The GloFish is a genetically modified Zebrafish which has become popular in aquariums in the United States and parts of Asia.

The fish were produced by inserting a gene from a jellyfish into a Zebrafish. The gene controlled the production of a fluorescent protein (GFP). The fish produced were brightly coloured.

GloFish are not approved for sale in Australia, Canada, California or Europe. **Image 6.1A** shows a Zebrafish and **Image 6.1B** shows a GloFish.

Image 6.1A



Image 6.1B



(a) (i) State the name of the molecule that makes up genes.

[1	1

(ii)	Explain how the gene controls the production of the GFP prof	ein.
------	--	------

[3]	

• • • • • • • • • • • • • • • • • • • •	 	 	

• • • • • • • • • • • • • • • • • • • •	 	 	

(b) Suggest why GloFish are not approved for sale in some parts of the world.	
---	--

[1]

5

© WJEC CBAC Ltd. (3400UD0-1) Turn over.

400UD01

in 201	16 led	to the World Health Organisation, the failure of parents to vaccinate their children to the biggest surge in measles cases in Europe for over a decade. Across 53 there were 37 deaths reported from a total of 41 000 cases of measles.	n
(a)	(i)	Calculate the death rate for measles per 1000 cases of measles.	[1]
		Death rate = per 1000 cases of mea	sles
	(ii)	Suggest a reason why some parents choose not to have their children vaccinate despite the risk to their health.	ted [1]
(b)		ain why an individual who has contracted measles once is unlikely to contract the ase a second time.	e [4]
(c)	trave	noid is a serious disease caused by the bacterium <i>Salmonella typhi</i> . Individuals well to the Indian subcontinent, Africa, South America and southeast Asia are advise vaccinated. The typhoid vaccine contains fragments of <i>S. typhi</i> .	
	(i)	Explain why an individual receiving the typhoid vaccine will not develop the disease even though it contains fragments of <i>S. typhi</i> .	[1]



	(ii)	Explain why the typhoid vaccine does not prevent fevers or infections caused be other species of <i>Salmonella</i> bacteria.	py [1]
(d)		e how an increased understanding of the human genome can be important for icine.	[1]
Over	time,	s a condition where the concentration of glucose in the blood can become too high this may cause complications including damage to blood vessels and nerves.	
(a)	(i) (ii)	Apart from high blood glucose levels, state one other symptom of diabetes. Insulin is essential in the control of blood glucose. With reference to insulin,	[1]
		explain the difference between Type 1 and Type 2 diabetes.	[2]
	(iii)	Apart from insulin injections, describe one other possible treatment for people with diabetes.	[1]
(b)		ain how a negative feedback mechanism raises blood glucose levels in a healthy idual when their glucose levels are decreasing.	/ [3]



(c) **Table 8.1** and **Table 8.2** show information on the ethnic categories of 26 907 children and young people up to the age of 24 years in Wales and England in 2016/17 who were diagnosed with either Type 1 or Type 2 diabetes.

Table 8.3 shows the ethnic categories of **all** children and young people in Wales and England.

Table 8.1 - Ethnic categories of children and young people with Type 1 diabetes, 2016/17

Ethnic category	Number	Percentage of the sample of children who had Type 1 diabetes (%)
White	22 111	84.0
Mixed	699	2.7
Asian	2 136	8.1
Black	956	3.6
Other	421	1.6
Total number of children with Type 1 diabetes =	26323	

Table 8.2 - Ethnic categories of children and young people with Type 2 diabetes, 2016/17

Ethnic category	Number	Percentage of the sample of children who had Type 2 diabetes (%)	
White	246	42.1	
Mixed	29	5.0	
Asian	212	36.3	
Black	79	13.5	
Other	18	3.1	
Total number of children with Type 2 diabetes =	584		

(3400UD0-1)



© WJEC CBAC Ltd.

Table 8.3 - Ethnic categories of all children and young people in Wales and England

Ethnic category	Percentage of population of all children and young people in Wales and England (%)
White	86.0
Mixed	2.2
Asian	7.5
Black	3.3
Other	1.0

	(i)	diabetes against the total number with Type 2 diabetes. [1]			[1]		
		Type 1		: Ту	/pe 2		
	(ii)		le 8.1, Table 8.2 an ffect of ethnicity on				
		I.	Type 1 diabetes;				[1]
		II.	Type 2 diabetes.				[1]
(d)	popu	lation of V	king at these data o Vales and England abetes. State why th	with Type 1 diab	etes is far higher	than the number	[1]




9. In humans, the number of times a stem cell undergoes cell division varies. For example, some stem cells in the skin will divide up to 200 times during an individual's lifetime whilst other stem cells found in the large intestine may divide up to 5800 times.

The lifetime risk of developing a cancer is different for each type of tissue in the human body. For example, the lifetime risk of developing skin cancer is 2%. The lifetime risk of developing a cancer of the liver is 0.71%.

Scientists have suggested that some of the variation in cancer risk can be explained by the number of times stem cells divide in each tissue during an individual's lifetime, as shown in **Graph 9.1**.

Graph 9.1



Number of times stem cells divide during an individual's lifetime

(a)	(i)	State what is meant by a stem cell.	[2]
	(ii)	State the name of the type of cell division responsible for growth and explain ho it can lead to cancer.	[2]
			•••••
	• • • • • • • • • • • • • • • • • • • •		



oing [1]	Examiner only
%	
ple, [1]	
e ferent	
[1]	

Use all the information given to identify the percentage lifetime risk of developing cancer of the large intestine. [1]) (i)	(b)
Lifetime risk = %		
Suggest one reason why the incidence of cancer is rare amongst young people, but tends to increase with age. [1]	(ii) 	
ner than environmental factors and the number of times a cell divides, name one ser factor which could be responsible for the variation in the risk of cancers in different sues.	oth	(c)



Turn over. © WJEC CBAC Ltd. (3400UD0-1)



PLEASE DO NOT WRITE ON THIS PAGE



Urine samples from four individuals were tested in a laboratory. Some of the results are shown in Table 10.1. ✓= present, x = absent.

Table 10.1

Sample	Sodium chloride (salt)	Glucose	Protein
1	✓	×	×
2	✓	~	×
3	~	×	✓
4	✓	✓	✓

(a)	(1)	each of the samples.	[1]
	(ii)	Explain why you would not expect to find either protein or glucose in the urine of healthy individual.	of a [2]
<i>a</i> .			······
(b)		e the name of the solution you would use to test for protein in a school laboratory state the expected colour change if sample 3 in Table 10.1 was tested for protein	

(c) Kidney failure can be treated using dialysis. **Image 10.2** shows a patient connected to a simplified drawing of a dialysis machine.

Image 10.2




Table 10.3 compares the composition of blood and dialysis fluid.

Table 10.3

	Concentration (arbitrary units)			
Substance	Blood entering dialysis machine	Fresh dialysis fluid	Used dialysis fluid	
Sodium ions	140	130	150	
Chloride ions	100	90	110	
Glucose	100	100	100	
Urea	20	0	18	
Protein	4	0	0	



© WJEC CBAC Ltd.

(i)	The pump in the dialysis machine pumps the blood at a rate of 400 cm ³ per minute . Calculate the volume of blood in dm ³ that would pass through the dialysis machine if a patient was connected to the machine for four hours . (1000 cm ³ = 1 dm ³)
	Volume of blood =dm ²
(ii)	Explain why the blood and the dialysis fluid flow in opposite directions through the machine.
(iii)	Using all the information given, explain how the process of dialysis takes place in the kidney machine. [6 QER

•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	



Turn over.



PLEASE DO NOT WRITE ON THIS PAGE



Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Exan or
		\neg
		······
		· · · · · · · · · · · · ·
		· · · · · · · · · · · · ·
		· · · · · · · · · · ·
		· · · · · · · · · · · ·
		·····



Question number Additional page, if required. Write the question number(s) in the left-hand margin.	

