Surname	Centre Number	Candidate Number
First name(s)		0



GCSE

3410U10-1



FRIDAY, 17 JUNE 2022 - AFTERNOON

CHEMISTRY – Unit 1: Chemical Substances, Reactions and Essential Resources

FOUNDATION TIER

1 hour 45 minutes

For Ex	aminer's us	e only
Question	Maximum Mark	Mark Awarded
1.	7	
2.	3	
3.	6	
4.	8	
5.	12	
6.	8	
7.	10	
8.	6	
9.	5	
10.	9	
11.	6	
Total	80	

ADDITIONAL MATERIALS

In addition to this examination paper you will need a calculator and a ruler.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid. You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page(s) at the back of the booklet, taking care to number the question(s) correctly.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

Question 8 is a quality of extended response (QER) question where your writing skills will be assessed.


The Periodic Table is printed on the back cover of this paper and the formulae for some common ions on the inside of the back cover.



Answer all questions.

1. (a) Potassium reacts with water to produce potassium hydroxide and hydrogen gas.

$$2K + 2H_2O \longrightarrow 2KOH + H_2$$





Examiner only

(i) Complete the table. Tick (/) one box in each of the last two rows.

roi	
2	

Substance	Formula	Element	Compound
potassium	K	1	
water	H ₂ O		1
potassium hydroxide	КОН		
hydrogen	H ₂		

(ii) During the reaction, potassium burns with a **lilac** flame.

Give **two** other observations that you would expect to make.

Choose your answers from the box.

[2]

orange crystals form	fizzing	potassium sinks
potassium floats	white pre	cipitate forms

(b	.)	Dotoccium		rooto	with	OWIGOD	+~	produce	potassium	ovido
(L	"	rulassiuiii	aisu	TEACIS	WILLI	uxvuen	w	DIOUUCE	DOIASSIUIII	UXIUE.
١	/									

Choose a number from the box to balance the equation for this reaction.

[1]

2 4 6

(c) Most Group 1 and Group 2 metals can be identified by the colour seen in a flame test.

Draw **one** line from each metal to the colour seen.

One line has been drawn for you.

[2]

Metal	Colour seen
wetai	Colour Seen

white

lithium

red


sodium

green

barium

blue

yellow



Give the **letter** of the diagram which represents each of the following molecules.

sulfur dioxide, SO₂ ethene, C₂H₄

(b) This chemical equation shows the burning of ethene, C_2H_4 .

$$C_2H_4 + 3O_2 \longrightarrow 2CO_2 + 2H_2O$$

Complete the word equation for this reaction.

ethene + oxygen ---- + water

[2]

[1]

Ξха	m	ηi	n	E
Ω	n	l۱	,	

<u>Unde</u>	<u>rline</u> the correct formula	of chlorine (gas.		
	Cl_2	Cl ²	CI	2CI	
				lements by placing	heated iron woo
The c	lass recorded the result	s shown in th	ne table.		
	Group 7 element	Observa	ation with	heated iron wool	
	chlorine	g	lowed ve	ry brightly	
	bromine				
	iodine		glowed	faintly	
(i)	glowed less brightly that	ur. In iodine In chlorine	observati	ion when heated iro	on wool was
	in gas	In gas jars containing vapours The class recorded the result Group 7 element chlorine bromine iodine (i) Put a tick (✓) in the box placed in bromine vapo glowed less brightly that glowed less brightly that	The class recorded the results shown in the Group 7 element Observation of the element Observation of	in gas jars containing vapours of the elements. The class recorded the results shown in the table. Group 7 element Observation with chlorine glowed ve bromine iodine glowed (i) Put a tick (✓) in the box to show the observation placed in bromine vapour. glowed less brightly than iodine glowed less brightly than chlorine	The class recorded the results shown in the table. Group 7 element Chlorine Glowed very brightly bromine iodine glowed faintly (i) Put a tick (/) in the box to show the observation when heated iroplaced in bromine vapour. glowed less brightly than iodine glowed less brightly than chlorine



© WJEC CBAC Ltd.

		compound produced in ons Fe ³⁺ and Br ⁻ .	the reaction between iron wool and bromin		Examiner only
	l.	Give the formula of the		[1]	
	II.	State the name of this	s compound.	[1]	
(d)	Tick (✓) the	e box next to a commor	n use of iodine.	[1]	
	to disinfect	skin before surgery			
	to make co	oloured fireworks			
	to sterilise	swimming pools			
	to fill party	balloons			34100101
					6


4. (a) The Earth's crust contains more than 80 elements, including many metals. Some of the metals, such as gold, are found 'native' or uncombined, but most are bonded with other elements to form compounds.

The crust can be thicker than 80 kilometres in some spots and less than one kilometre thick in others.

Just six elements make up almost all of the Earth's crust. These are aluminium, calcium, iron, oxygen, silicon and sodium.


Silicon is the second most abundant element. The amount of aluminium is approximately double the amount of calcium.

The chart shows the percentages of elements contained in the crust.



- (i) Use the information given to **label** the remaining sections of the chart. [2]
- (ii) <u>Underline</u> the approximate fraction of elements in the crust which are metals. [1]
 - $\frac{1}{2}$ $\frac{1}{3}$ $\frac{1}{4}$ $\frac{3}{4}$

	(iii)	Tick (/) the statement which best explains why most metals are not found native in the crust. [1]	only
		most metals have higher melting points than gold	
		most metals are magnetic	
		most metals are more reactive than gold	
		most metals are radioactive	
(b)		onic plates are huge sections of the crust that move very slowly above the mantle. places where plates meet are called plate boundaries.	
	The	diagram shows one type of plate boundary.	




	conservative	destructive	constructive	
(ii)	<u>Underline</u> the name of th	is type of plate boundary	<i>/</i> .	[1]
•••••				
(i)	Describe how new rock i	s formed at this plate bo	undary.	[3]

8

© WJEC CBAC Ltd. (3410U10-1) Turn over.

5. (a) A class measured the hardness of five different samples of water, A, B, C, D and E.

They added soap solution to each water sample and measured the height of the lather produced on shaking.



Their results are shown in the table.

Water sample	Lather height (cm)
Α	1.5
В	3.0
С	0.5
D	5.0
E	2.0


© WJEC CBAC Ltd.

(3410U10-1)

3410U101	
8	_

(i)	Complete the order of hardness of the water samples, from softest to hardest.	[1]
	softest hardest	
	D C	
(ii)	Calcium is one of two metal ions which cause hardness in water.	
	<u>Underline</u> the name of the other metal ion which causes hardness in water.	[1]
	potassium sodium nickel magnesium tin	
(iii)	Tick (✓) all of the variables which must be controlled in this experiment.	[2]
	volume of soap solution	
	type of water	
	type of soap solution	
	volume of water	
	height of lather	
	width of test tube	

(b) The graph shows the solubilities of sodium chloride and copper(II) sulfate at different temperatures.





- (i) State the temperature at which the two compounds have the same solubility. [1]°C
- (ii) Compare the changes in solubility of the two compounds. [2]
- (iii) Calculate the mass of copper(II) sulfate that would dissolve in **1000 g** of water at 40 °C. [2]

Mass = g

- (c) Potassium sulfate, K₂SO₄, is soluble in water.
 - (i) State the number of sulfur atoms in the formula K_2SO_4 . [1]
 - (ii) Calculate the relative formula mass (M_r) of K_2SO_4 . [2]


$$A_{r}(K) = 39$$
 $A_{r}(S) = 32$ $A_{r}(O) = 16$

*M*_r =

			14	
6.	(a)	An at	tom of an element has 5 protons, 5 electrons and 6 neutrons. State the atomic number and the mass number of this atom.	[2]
			Atomic number	
			Mass number	
		(ii)	Complete the diagram of the electronic structure of the element.	[1]
		(iii)	Explain why the atom has no overall charge.	[2]
		<u></u>		
1				




(b) The diagram shows the electronic structure of another element.



This element is in Group 5 and Period 2 of the Periodic Table.

(ii) Use the electronic structure to explain	why this element is in Group 5.	[1]
(iii) Use the electronic structure to explain	why this element is in Period 2.	[1]

7. A student decided to investigate the rate of reaction of different concentrations of hydrochloric acid with pieces of chalk, using the equipment shown.



Chalk contains calcium carbonate and the reaction produces carbon dioxide gas.


The table shows the student's results.

Concentration of hydrochloric acid (M)	Volume of gas produced in 1 minute (cm³)
0.2	8
0.4	16
0.6	24
0.8	32
1.0	40
1.2	48

Examiner only

[3]

(a) Plot the results from the table on the grid. Draw a suitable line.



Concentration of hydrochloric acid (M)



© WJEC CBAC Ltd. (3410U10-1) Turn over.

	18	
(b)	Describe how the volume of gas produced in 1 minute changes as the concentration of the acid changes. [2]	□Exa c
(c)	<u>Underline</u> the correct word(s) in each bracket to explain the results. [3]	
	When the acid concentration is higher, there are	
	(more / less / the same number of) particles in the same volume.	
	Acid particles (dissolve / mix / collide) with the chalk more frequently.	
	The (chalk / acid / gas) is produced at a higher rate.	
(d)	Other than changing the concentration of the acid or the mass of the chalk added, state two ways in which the rate of this reaction could be increased. [2]	




© WJEC CBAC Ltd.

Burning fossil fuels leads to global warming.	
explain how global warming arises and describe the problems caused.	[6 QER]



9. Limestone is a rock which consists mostly of calcium carbonate. The diagram shows a cycle of reactions involving limestone.



(a) (i) When limestone is heated, calcium carbonate is converted to calcium oxide and carbon dioxide.

l.	State the name for this type of reaction.	[1]

II.	Write a balanced symbol equation for the reaction.	[2]

(ii)	State what must be added to calcium oxide to form calcium hydroxide	[1]

State what must be added to calcium oxide to form calcium hydroxide.	[1]


(b) Give **one** use of limestone in the construction industry. [1]





10. Paper chromatography can be used to identify plant leaf pigments. This process uses a chemical called acetone as the solvent instead of water.

The diagram shows the chromatogram of plant leaf extracts **A**, **B**, **C** and **D** in acetone.





	Examiner only
3]	
2]	
···•	
.	
2]	
21	
-]	

(a)	All of the extracts contain a mixture of pigments with different $R_{\rm f}$ values. For which plant leaf extract, $\bf A$, $\bf B$, $\bf C$ or $\bf D$, is the highest $R_{\rm f}$ value 0.60? Give your reasoning. Extract	[3]	TExan on
(b)	Explain why the pigments travel different distances on the chromatogram.	[2]	
(c)	One of the extracts contains a pigment which is insoluble in acetone. State the letter of this extract. Explain your choice. Extract	[2]	
(d)	The chemical formula of the solvent acetone is C_3H_6O . Calculate the percentage by mass of carbon in acetone. The relative formula mass (M_r) of acetone is 58. $A_r(C) = 12$	[2]	
	Percentage =	%	



Turn over. © WJEC CBAC Ltd. (3410U10-1)

	:
The Earth's early atmosphere contained large amounts of water vapour and carbon dioxide. Explain why the amounts of water vapour and carbon dioxide decreased over geological time. [4]	□Examiner only
Water vapour	
Water vapour	
	•
	-
Carbon dioxide	
Carbon dioxide	
State the percentages of nitrogen and oxygen in the present atmosphere. [2]	

FND	OF	$D\Delta$	PFR

Nitrogen %

Oxygen %

11.

(a)

(b)

© WJEC CBAC Ltd.

(3410U10-1)

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examine only
		1
		1
		1
		1
		1



Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examiner only



FORMULAE FOR SOME COMMON IONS

POSITIV	E IONS	NEGATIVE IONS		
Name	Formula	Name	Formula	
aluminium	Al ³⁺	bromide	Br ⁻	
ammonium	NH_4^+	carbonate	CO ₃ ²⁻	
barium	Ba ²⁺	chloride	CI ⁻	
calcium	Ca ²⁺	fluoride	F ⁻	
copper(II)	Cu ²⁺	hydroxide	OH ⁻	
hydrogen	H⁺	iodide	I_	
iron(II)	Fe ²⁺	nitrate	NO ₃	
iron(III)	Fe ³⁺	oxide	O^{2-}	
lithium	Li⁺	sulfate	SO ₄ ²⁻	
magnesium	Mg ²⁺		•	
nickel	Ni ²⁺			
potassium	K ⁺			
silver	Ag^{+}			
sodium	Na ⁺			
zinc	Zn ²⁺			



						ı		1
	0	Helium	20 Neon	40 Argon	84 Kr Krypton 36	Xe Xe Xe Xe Xe Xe 54	222 Rn Radon 86	
	~		19 F Fluorine 9	35.5 CI Chlorine	80 Br Bromine 35	127 	210 At Astatine 85	
	9		16 O Oxygen 8	32 S Sulfur 16	79 Se Selenium 34	128 Te Tellurium 52	210 Po Polonium 84	
	2		14 Nitrogen 7	31 P Phosphorus 15	75 As Arsenic	Sb Antimony 51	209 Bi Bismuth	
	4		12 C Carbon 6	28 Si Silicon	73 Ge Germanium 32	Sn Tin	207 Pb Lead 82	
	က		11 B Boron 5	27 AI Aluminium 13	70 Ga Gallium 31	115 In Indium 49	204 TI Thallium 81	
щ					65 Zn Zinc 30	Cd Cadmium 48	201 Hg Mercury 80	
TABL					63.5 Cu Copper 29	Ag Silver	Au Au Gold 79	
DIC					59 Nickel 28	106 Pd Palladium 46	195 Pt Platinum 78	
RIO					59 Co Cobalt 27	103 Rh Rhodium 45	192 Ir Iridium 77	
THE PERIODIC TABLE	roup	e u]		56 Fe Iron 26	101 Ruthenium 44		Key
Ŧ	Gro	Hydrogen			55 Mn m Manganese 25	99 Tc Technetium 43	186 Re Rhenium 75	
					52 Cr Chromiur 24	96 Mo Molybdenu 42		
						93 Nb Niobium 41		
					48 Ti Titanium 22	91 Zr Zirconium 40	179 Hf Hafnium 72	
					45 Sc Scandium 21	89 Y Yttrium 39	139 La Lanthanum 57	227 Ac Actinium 89
	7		9 Be Beryllium	24 Mg Magnesium 12	40 Ca Calcium 20	88 Sr Strontium 38	137 Ba Barium 56	226 Ra Radium 88
			7 Li Lithium 3	23 Na Sodium	39 K Potassium 19	86 Rb Rubidium 37	133 Cs Caesium 55	223 Fr Francium 87
						-		



© WJEC CBAC Ltd.

(3410U10-1)